



MARINE STEERING SYSTEMS & ACCESSORIES



WHOLESALE TO THE TRADE
ORDER AND INFO HOTLINE: 502-228-8881
WWW.BESTQUALITYMARINE.COM

TABLE OF CONTENTS

Hydraulic Steering Series

For Outboard	3
For Stern Drive.....	7
For Inboard	8
Hydraulic Steering Components	11

Mechanical Steering Series

Non-reversible Steering Helm	17
Rotary Helm	18
Planetary Helm	18

Outboard Jack Plate Series


Manual Jack Plate	19
Hydraulic Jack Plate	20
Power Trim & Tilt Assy	21

Other Components

Hose Kit And Hose Connector	22
Tiller Arm and Liquid Tie Bar Alignment Valve	23
Dual Hose Fitting With Bulkhead	23
Tie Bar	23
Steering Wheel	24
Steering Cable	24
Marine Remote Control	25
Marine Fuel Tank	32

HYDRAULIC STEERING FOR OUTBOARD

ZA0301



STANDARD WHEEL TURNS: 5.3 LOCK-TO-LOCK

FOR LESS WHEEL TURNS, ASK YOUR DISTRIBUTOR OR MANUFACTURER


APPLICATION GUIDE-SINGLE ENGINE

UNIVERALLY FIT ALL OURBOARDS UP TO 90 HP

STEERING KITS INCLUDES

MODEL	DESCRIPTION
WP16NVF HELM PUMP	
WOC 301 CYLINDER	FRONT MOUNT OUTBOARD CYLINDER FOR ENGINES UP TO 90HP
WQ OIL 10# HYDRAULIC OIL	HYDRAULIC OIL 1 LITER * 2 BAGS
WL 04-SS-08 HYDRAULIC HOSE	HYDRAULIC HOSE 1/4", 8 METER *2 PCS
ACCESSORIES INCLUDED	HELM PUMP FITTINGS, HELM PUMP MOUNTING HARDWARE KIT, BLEED KIT, BRASS FERRULES
STEERING WHEEL	OPTIONAL

ZA0300



STANDARD WHEEL TRUNS: 4.4 OR 6.4 LOCK-TO-LOCK

FOR MORE OR LESS WHEEL TRNS, ASK YOUR DISTRIBUTOR OR MANUFACTURER


APPLICATION GUIDE-SINGLE ENGINE

UNIVERALLY FIT ALL OUTBOARDS UP TO 150 HP, FOR SOME OLD MACHINES, THERE MIGHT BE INTERFERENCE WITH THE CYLINDER. PLEASE CONTACT YOUR DISTRIBUTOR OR MANUFACTURER FOR ASSISTANCE (NEED ADDITIONAL SPACERS OR DIFFERENT PIVOT PLATE)

STEERING KITS INCLUDES

MODEL	DESCRIPTION
WP18F	FRONT MOUNT HELM PUMP 18CC or 27CC WITH BUILD-IN RELIEF&LOCK VALVE
WOC 300 CYLINDER	FRONT MOUNT OUTBOARD CYLINDER FOR ENGINES UP TO 150HP
WQ OIL 10# HYDRAULIC OIL	HYDRAULIC OIL 1 LITER * 2 BAGS
WL 06-SS-08 HYDRAULIC HOSE	HYDRAULIC HOSE 5/16", 8 METER *2 PCS
ACCESSORIES INCLUDED	HELM PUMP FITTINGS, HELM PUMP MOUNTING HARDWARE KIT, BLEED KIT
STEERING WHEEL	OPTIONAL

ZA0350V1



STANDARD WHEEL TURNS: 5.2 OR 6.5 LOCK-TO-LOCK

FOR LESS WHEEL TURNS, ASK YOUR DISTRIBUTOR OR MANUFACTURER


APPLICATION GUIDE-SINGLE ENGINE

UNIVERALLY FIT ALL OUTBOARDS UP TO 350 HP, FOR MERCURY AND HONDA, NEED DIFFERENT TILLER TUBE ADAPTORS

STEERING KIT INCLUDES

MODEL	DESCRIPTION
WP 22F OR WP 27F	FRONT MOUNT HELM PUMP 22CC OR 27CC WITH BUILD-IN RELIEF&LOCK VALVE
WOC 350 CYLINDER	FRONT MOUNT OUTBOARD CYLINDER FOR ENGINES UP TO 350HP
WQ OIL 10# HYDRAULIC OIL	HYDRAULIC OIL 1 LITER * 2 BAGS
WL 08-SS-08 HYDRAULIC HOSE	HYDRAULIC HOSE 3/8", 8 METER *2 PCS
ACCESSORIES INCLUDED	HELM PUMP FITTINGS, HELM PUMP MOUNTING HARDWARE KIT, BLEED KIT
STEERING WHEEL	OPTIONAL

ZA0350V2



STANDARD WHEEL TURNS: 5.2 OR 6.5 LOCK-TO-LOCK

FOR LESS WHEEL TURNS, ASK YOUR DISTRIBUTOR OR MANUFACTURER

APPLICATION GUIDE-SINGLE ENGINE


UNIVERALLY FIT ALL OUTBOARDS UP TO 350 HP

STEERING KIT INCLUDES

MODEL	DESCRIPTION
WP 22F OR WP 27F	FRONT MOUNT HELM PUMP 22CC OR 27CC WITH BUILD-IN RELIEF&LOCK VALVE
WOC 350V2 CYLINDER	FRONT MOUNT OUTBOARD CYLINDER FOR ENGINES UP TO 350HP
WQ OIL 10# HYDRAULIC OIL	HYDRAULIC OIL 1 LITER * 2 BAGS
WL 08-SS-08 HYDRAULIC HOSE	HYDRAULIC HOSE 3/8", 8 METER *2 PCS
ACCESSORIES INCLUDED	HELM PUMP FITTINGS, HELM PUMP MOUNTING HARDWARE KIT, BLEED KIT
STEERING WHEEL	OPTIONAL

HYDRAULIC STEERING FOR STERN DRIVE

WQQW



STANDARD WHEEL TURNS: 5.5 OR 6.3 LOCK-TO-LOCK

APPLICATION GUIDE-SINGLE ENGINE


SYSTEM MODEL	APPLICABLE STERN DRIVE-POWER ASSIST		REMARK
	MAKER	MODEL	
WQQW	MERCUISER	MERCUISER 1	POWER ASSIST STERN DRIVE
		ALPHA	
		BRAVO ONE	
		BRAVO TWO	
	VOLVO	280	
		290	
		DP-S	
	BMW	ALL	
	OMC	COBRA	
		KONG COBRA	
	YAMAHA	POWER ASSIST ALL	

STEERING KIT INCLUDES

MODEL	DESCRIPTION
WP 18F OR WP 22F OR WP 27F	FRONT MOUNT HELM PUMP 18CC OR 22CC OR 27CC WITH BUILD-IN RELIEF&LOCK VALVE
WQQW CYLINDER	SIDE MOUNT OUTBOARD CYLINDER, UNBALANCED
WQ OIL 10# HYDRAULIC OIL	HYDRAULIC OIL 1 LITER * 2 BAGS
WL 06-SS-08 HYDRAULIC HOSE	HYDRAULIC HOSE 5/16", 8 METER *2 PCS
ACCESSORIES INCLUDED	HELM PUMP FITTINGS, HELM PUMP MOUNTING HARDWARE KIT, BLEED KIT
STEERING WHEEL	OPTIONAL

HYDRAULIC STEERING FOR INBOARD

WQWJ



STANDARD WHEEL TURNS: 5.5 OR 6.3 LOCK-TO-LOCK


APPLICATION GUIDE

FOR BOATS UP TO 8 METERS

STEERING KIT INCLUDES

MODEL	DESCRIPTION
WP 18F OR WP 22F OR WP 27F	FRONT MOUNT HELM PUMP 18CC OR 22CC OR 27CC WITH BUILD-IN RELIEF&LOCK VALVE
WQWJ CYLINDER	SINGLE STRAIGHT CYLINDER
WQ OIL 10# HYDRAULIC OIL	HYDRAULIC OIL 1 LITER * 2 BAGS
WL 06-SS-08 HYDRAULIC HOSE	HYDRAULIC HOSE 5/16", 8 METER *2 PCS
ACCESSORIES INCLUDED	HELM PUMP FITTINGS, HELM PUMP MOUNTING HARDWARE KIT, BLEED KIT
STEERING WHEEL	OPTIONAL

ZA0450




APPLICATION GUIDE

FOR BOATS UP TO 15 METERS

STEERING KIT INCLUDES

MODEL	DESCRIPTION
WP 45F	FRONT MOUNT HELM PUMP 45CC WITH BUILD-IN RELIEF&LOCK VALVE
ZA0450 CYLINDER	SIDE MOUNT OUTBOARD CYLINDER, UNBALANCED
WQ OIL 10# HYDRAULIC OIL	HYDRAULIC OIL 2 LITER * 2 BAGS
WL 08-SS-08 HYDRAULIC HOSE	HYDRAULIC HOSE 3/8", 8 METER *2 PCS
ACCESSORIES INCLUDED	HELM PUMP FITTINGS, HELM PUMP MOUNTING HARDWARE KIT, BLEED KIT
STEERING WHEEL	OPTIONAL

Q60



APPLICATION GUIDE

FOR BOATS UP TO 27 METERS

STEERING KIT INCLUDES

MODEL	DESCRIPTION
WP 45F OR WP45-88F	FRONT MOUNT HELM PUMP 45CC OR ADJUSTABLE DISPLACEMENT FROM 45-88CC WITH BUILD-IN RELIEF&LOCK VALVE
Q60 CYLINDER	SIDE MOUNT OUTBOARD CYLINDER, UNBALANCED
WQ OIL 10# HYDRAULIC OIL	HYDRAULIC OIL 2 LITER * 2 BAGS
WL 08-SS-08 HYDRAULIC HOSE	HYDRAULIC HOSE 3/8", 8 METER *2 PCS
ACCESSORIES INCLUDED	HELM PUMP FITTINGS, HELM PUMP MOUNTING HARDWARE KIT, BLEED KIT
STEERING WHEEL	OPTIONAL


HYDRAULIC STEERING COMPONENTS

HELM PUMP


WP HELM PUMP


MODEL	DISPLACEMENT		LOCK VALVE
	CC/REV	CU.IN/REV	
WP 16NVF	16	0.97	N/A
WP 18F	18	1.09	BUILT-IN
WP 22F	22	1.34	
WP 27F	27	1.66	
WP 45F	45	2.74	

LIGHT DUTY (WP 16NVF)



HEAVY DUTY (WP 18F,22F,27F)






Adjustable ORB fittings

Adjustable O-ring (ORB) fittings simplify the installation process and will allow for simple reorientation of the fittings after installation

ORB fittings made in Chrome plated Copper.

- MAXIMUM DURABILITY
- SS 304 SHAFT
- FIXED DISPLACEMENT
- LOCK VALVE INBUILT
- INTERCONNECTING PORTS FOR DUAL STATIONS OF STEERING
- COMMON DASH HOLE MOUNT FOR EASY REPLACEMENT WITH OTHER BRAND
- RELIEF VALVE INBUILT

Q60 HEAVY DUTY PUMP (WP 44F)




- SS 304 SHAFT
- ADJUSTABLE DISPLACEMENT FROM 45CC-88CC
- LOCK VALVE INBUILT
- INTERCONNECTING PORTS FOR DUAL STATIONS OF STEERING
- RELIEF VALVE INBUILT

CYLINDER


WOC 301 CYLINDER - OUTBOARD

MODEL	VOLUME	BORE	PISTON ROD	STRODE	OUTPUT FORCE	APPLICATION	WEIGHT
WOC 301	71.1CC	25MM	14MM	213MM	232	UP TO 90HP	2.2KG





WOC300 CYLINDER - OUTBOARD

MODEL	VOLUME	BORE	PISTON ROD	STRODE	OUTPUT FORCE	APPLICATION	WEIGHT
WOC 300	116.9CC	31.8MM	16MM	197.3MM	409.7	UP TO 150HP	3KG




WOC 350 CYLINDER-OUTBOARD

MODEL	VOLUME	BORE	PISTON ROD	STRODE	OUTPUT FORCE	APPLICATION	WEIGHT
WOC 350	141.1CC	35MM	20MM	214MM	468	UP TO 150HP	4.9KG



WQQW CYLINDER-STERN DRIVE

MODEL	VOLUME	BORE	PISTON ROD	STRODE	OUTPUT FORCE	APPLICATION	WEIGHT
WQQW	101CC	32MM	16MM	178MM	328	POWER ASSIST STERNDRIVE, NON-POWER ASSIST STERNDRIVE	2.1KG




WQWJ CYLINDER - FOR INBOARD

0450 CYLINDER - FOR INBOARD

Q60 CYLINDER -FOR INBOARD

MODEL	DISPLACEMENT	BORE	PISTON DIAMETER	STRODE	OUTPUT FORCE	WEIGHT
Q60	419.5CC	60MM	35MM	325MM	924.7	14.22KG
0450	180 CC	45MM	22MM	180MM	547	4.6KG
WQWJ	107CC	32MM	16MM	178MM	328	2.2KG



MECHANICAL STEERING

A-TYPE: NON-REVERSIBLE STEERING HELM




- ✓ A SPECIAL PATENTED DEVICE ALLOWS THE HELM SHAFT TO LOCK UNTIL TURNED BY THE DRIVER, MAINTAINING THE BOAT DIRECTION AND NEUTRALIZING THE FEEDBACK LOADS ON THE STEERING CABLE. THE MACHANISM IS ENGAGED WHEN THE DRIVER IS NOT TURNING THE WHEEL AND IS AUTOMATICALLY DISENGAGED AS SOON AS THE DRIVER APPLIERS PRESSURE ON HE WHEEL TO CHANGE DIRECTION OF THE BOAT. IT MAKES DRIVING A BOAT SAFER AND EASIER.
- ✓ APPLICABLE FOR BOAT LENGTH: 9METERS FOR OUTBOARDS, AND 10.5METERS FOR INBOARD
- ✓ TURNS FROM LOCK-TO-LOCK: 4 TURNS APPROX
- ✓ 90 AND 20 DEGREE BEZEL KITS OPTIONAL

B-TYPE: ROTARY STEERING HELM



- ✓ APPLICABLE FOR BOAT LENGTH: OUTBOARDS 9 METERS, INBOARD 10.5 METERS
- ✓ TURNS FROM LOCK-TO-LOCK: 3 TURNS APPROX
- ✓ 90 AND 20 DEGREE BEZEL KITS OPTIONAL

C-TYPE: PLANETARY GEAR DESIGN HELM



- ✓ A PLANETARY GEAR DESIGN HAS THREE SATELLITE GEARS THAT ROTATE ON THEIR AXIS AND AT THE SAME TIME ROTATE AROUND THE CENTRAL HELM AXIS. THIS ALLOWS FOR EQUAL DISTRIBUTION OF ENGINE TORQUE OVER THREE POINTS OF THE CENTRAL GEARS, DIVIDING AND BALANCING THE SYSTEM LOADS.
- ✓ 4 TURNS LOCK-TO-LOCK
- ✓ 90 AND 20 DEGREE BEZEL KITS OPTIONAL
- ✓ NOT TO BE USED ON BOATS EQUIPED WITH ENGINES THAT EXCEED THE MAXIMUM HORSEPOWER OF THE BOAT AND THE SPEED OF 50 KNOTS(57.5MPH)


OUTBOARD JACKPLATES

MANUAL JACKPLATE



- ✓ SINGLE ADJUSTING JACK PLATE
- ✓ FINISH OPTION (HARD BLACK ANODIZE, CLEAR ANODIZE)
- ✓ MADE OF HIGH STRENGTH POLISHED AIRCRAFT QUALITY ALUMINUM
- ✓ BRONEZE AND BRASS HARDWARE ELIMILATE BINDING
- ✓ ADJUSTS EASILY BY TURNING ONE STEEL BOLT
- ✓ OFFERS 5 INCHES OF ADJUSTABLE VERTICAL MOVEMENT
- ✓ 4/6/8/10 INCHES OF SETBACK

HYDRAULIC JACKPLATE



- ✓ Adjustable setback size
- ✓ Bottom to Top in Less than 8 Seconds Rod and Slot Lifting Design
- ✓ Trouble Free Lifting Action Hi-Tech Engineered alloy Rods
- ✓ Speed and Self-contained Lifting Action
- ✓ Comes with relay harness and rocker switch
- ✓ Rated for engines up to 350hp Max or up to 625 lbs. dry weight

POWER TRIM TILT ASSEMBLY

40HP electrically actuated hydraulic tilt and trim unit	
Installation dimensions:	Closed: 266±2(mm), Open: 412±3(mm)
Overall dimensions:	303×145×91(mm)
Weight:	5KG
Mode of steering:	Remote control, electric start
Scope of application:	two stroke and four stroke 20hp, 25hp,40hp, universally for YAMAHA 40hp outboard motor
Color:	Black
Yamaha Bom:	65W-43800-02-4D

60HP electrically actuated hydraulic tilt and trim unit	
Installation dimensions:	Closed 290±2(mm), Open: 445±2(mm)
Overall dimensions:	317×145×91(mm)
Weight:	5KG
Mode of steering:	Remote control, electric start
Scope of application:	Scope of application: two stroke and four stroke 60hp,85hp,90hp
Color:	Black
Yamaha Bom:	6C5-43800-13
Mercury Bom:	8M0055011

130HP electrically actuated hydraulic tilt and trim unit	
Installation dimensions:	Closed 300±2(mm), Open: 456±2(mm)
Overall dimensions:	317×145×91(mm)
Weight:	5KG
Mode of steering:	Remote control, electric start
Scope of application:	four stroke 115hp and 130hp
Color:	Black
Mercury Bom:	8M0090335

60HP manually actuated hydraulic tilt and trim unit	
Installation dimensions:	Closed: 290±2(mm), Open: 438±2(mm)
Overall dimensions:	331x114X60(mm)
Weight:	2.76KG
Mode of steering:	Rear steering, manual start
Scope of application:	two stroke and four stroke 60hp
Color:	Gray
YAMAHA Bom:	69D-43107-12-4D



OTHER COMPONENTS

HOSE KIT



PRE-ASSEMBLED HOSE CONNECTORS ON BOTH ENDS SWAGED TYPE

HOSE SIZE	1/4"	CONNECTOR	G(PF)1/4
HOSE SIZE	5/16"	CONNECTOR	G(PF) 5/16
HOSE SIZE	3/8	CONNECTOR	G(PF) 3/8.

HOSE CONNECTOR



SPEC	MATERIAL	SUITABLE HOSE	REMARK
G(PF) 1/4	STAINLESS STEEL	1/4"	SWAGING TYPE
G(PF)5/16	STAINLESS STEEL	5/16"	
G(PF)3/8	STAINLESS STEEL	3/8"	
G(PF)5/16	STAINLESS STEEL	5/16"	QUICK CONNECTOR
G(PF)3/8	STAINLESS STEEL	3/8"	



TILLER ARM LINK ROD



LIQUID TIE BAR ALIGNMENT VALVE



DUAL HOSE FITTING WITH BULKHEAD



TIE BARS




MODEL	LENTH
SJ900	670-900MM
SJ700	520-700MM

STEERING WHEELS



MECHANICAL STEERING CABLE

Series	Cable DIA.	Core DIA.	Stroke	Pushing & Pulling Force		Min Working Radius	Material	Maximum allowable length
model.:	mm	mm	mm	thrust	pull	R(min)		(M)
				N	N			
160	Ø15.8	Ø8.0Pitch	225	≤ 1100	≤ 4500	≥ 230	316 stainless steel	15



MARINE REMOTE CONTROL

YAMAHA



P/N:PBD-703-48205-16
OEM:703-48205-16

Push To open
10 pins 5meter wire harness
Key Switch
Power trim Switch
Stop Switch



P/N:PBD-703-48272-12
OEM:703-48272-12

Pull To open
10 pins 5meter wire harness
Key Switch
Power trim Switch
Stop Switch



P/N:PBD-703-48230-14
OEM:703-48230-14

Push To open
7 pins 5meter wire harness
Key Switch
NO Power trim Switch
Stop Switch



P/N:PBD-703-48203-12
OEM:703-48203-12

Pull To open
7 pins 5meter wire harness
Key Switch
NO Power trim Switch
Stop Switch



P/N:PBD-703-48230-22
OEM:703-48230-22

Push To open
NO wire harness
NO Key Switch
NO Power trim Switch
NO Stop Switch



P/N:PBD-703-48203-22
OEM:703-48203-22

Pull To open
NO wire harness
NO Key Switch
NO Power trim Switch
NO Stop Switch



P/N:PBD-703-48207-17
OEM:703-48207-17

Push To open
7 pins 5meter wire harness
Key Switch
NO Power trim Switch
Stop Switch



P/N:PBD-703-48272-12
OEM:703-48272-12

Pull To open
10 pins 5meter wire harness
Key Switch
Power trim Switch
Stop Switch



P/N:PBD-703-48230-14-P
OEM:703-48230-14-P

Push To open
7 pins 5meter wire harness
Key Switch
NO Power trim Switch
Stop Switch



P/N:PBD-703-48230-12
OEM:703-48230-12

Pull To open
7 pins 5meter wire harness
Key Switch
NO Power trim Switch
Stop Switch



P/N:PBD-703-48230-14-23
OEM:703-48230-14-23

Push To open
NO wire harness
NO Key Switch
NO Power trim Switch
NO Stop Switch



P/N:PBD-703-48230-12-23
OEM:703-48230-12-23

Pull To open
NO wire harness
NO Key Switch
NO Power trim Switch
NO Stop Switch

YAMAHA



P/N:PBD-704-48205-P1
OEM:704-48205-P1

Push To open
NO wire harness
NO Key Switch
Power trim Switch
NO Stop Switch



P/N:PBD-704-48205-R0
OEM:704-48205-R0

Pull To open
NO wire harness
NO Key Switch
Power trim Switch
NO Stop Switch



P/N:PBD-704-48207-22
OEM:704-48207-22

Push To open
NO wire harness
NO Key Switch
Power trim Switch
NO Stop Switch



P/N:PBD-704-48207-12
OEM:704-48207-12

Push To open
NO wire harness
NO Key Switch
Power trim Switch
NO Stop Switch



P/N:PBD-6X3-48206-01
OEM:6X3-48206-01

Push To open
NO wire harness
NO Key Switch
Power trim Switch
Stop Switch



P/N:PBD-6X3-48206-02
OEM:6X3-48206-02

Pull To open
NO wire harness
NO Key Switch
Power trim Switch
Stop Switch

MERCURY



P/N:PBD-881170A3
OEM:881170A3

Pull To open
8 pins 15FT wire harness
Key Switch
NO Power trim Switch
Stop Switch



P/N:PBD-881170A5
OEM:881170A5

Push To open
8 pins 15FT wire harness
Key Switch
NO Power trim Switch
Stop Switch



P/N:PBD-881170A7
OEM:881170A7

Pull To open
7 pins 15FT wire harness
Key Switch
NO Power trim Switch
Stop Switch



P/N:PBD-881170A8
OEM:881170A8

Pull To open
NO wire harness
NO Key Switch
NO Power trim Switch
NO Stop Switch



P/N:PBD-881170A9
OEM:881170A9

Pull To open
5 pins 15FT wire harness
Key Switch
NO Power trim Switch
Stop Switch



P/N:PBD-881170A10
OEM:881170A10

Pull To open
8 + 2 pins 15FT wire harness
Key Switch
NO Power trim Switch
Stop Switch



P/N:PBD-881170A11
OEM:881170A11

Pull To open
8 + 2 pins 15FT wire harness
Key Switch
Power trim Switch
Stop Switch



P/N:PBD-881170A13
OEM:881170A13

Pull To open
14 pins 15FT wire harness
Key Switch
Power trim Switch
Stop Switch



P/N:PBD-881170A14
OEM:881170A14

Pull To open
14 pins 20FT wire harness
Key Switch
Power trim Switch
Stop Switch



P/N:PBD-881170A15
OEM:881170A15

Pull To open
8 pins 15FT wire harness
Key Switch
Power trim Switch
Stop Switch



P/N:PBD-881170A16
OEM:881170A16

Pull To open
14 pins 15FT wire harness
Key Switch
NO Power trim Switch
Stop Switch



P/N:PBD-881170A20
OEM:881170A20

Pull To open
14 pins 20FT wire harness
Key Switch
Power trim Switch
Stop Switch

MERCURY



P/N:PBD-8M0059686
OEM:8M0059686

Pull To open
NO Including wire harness
NO Key Switch
Power trim Switch
NO Stop Switch



P/N:PBD-8M0075245
OEM:8M0075245

Pull To open
NO Including wire harness
NO Key Switch
Power trim Switch
NO Stop Switch



P/N:PBD-8M0079291
OEM:8M0079291

DTS Control
Single Control
NO Including wire harness
Button Start/Stop
Power trim Switch



P/N:PBD-892984A02
OEM:892984A02

DTS Control
Single Control
NO Including wire harness
NO key Switch
Power trim Switch
Stop Switch



P/N:PBD-8M0079288
OEM:8M0079288

DTS Control
Dual Control
NO Including wire harness
NO key Switch
Power trim Switch



P/N:PBD-8M0096751
OEM:8M0096751

DTS Control
Thrip Control
NO Including wire harness
NO key Switch
Power trim Switch



P/N:PBD-883710A01
OEM:883710A01

Pull To open
NO Including wire harness
NO Key Switch
Power trim Switch
Stop Switch
Chrome



P/N:PBD-883710A02
OEM:883710A02

Pull To open
NO Including wire harness
NO Key Switch
Power trim Switch
Stop Switch
Chrome



P/N:PBD-8M0030550
OEM:8M0030550

Pull To open
NO Including wire harness
NO Key Switch
Power trim Switch
Stop Switch
Chrome Pistol Grip



P/N:PBD-8M0011213
OEM:8M0011213

Pull To open
NO Including wire harness
NO Key Switch
Power trim Switch
Stop Switch
Black Pistol Grip



P/N:PBD-8M0138640
OEM:8M0138640

Pull To open
14 pins 15FT wire harness
Key Switch
Power trim Switch
Stop Switch



P/N:PBD-8M0138641
OEM:8M0138641

Pull To open
14 pins 20FT wire harness
Key Switch
Power trim Switch
Stop Switch

HONDA



P/N:PBD-24800-ZZ5-A02
OEM:24800-ZZ5-A02

Pull To open
Work with 14 pins wire harness
Key Switch
Power trim Switch
Stop Switch



P/N:PBD-24800-ZZ5-A22
OEM:24800-ZZ5-A22

Pull To open
Work with 20 pins wire harness
Key Switch
Power trim Switch
Stop Switch



P/N:PBD-06240-ZW5-U60
OEM:06240-ZW5-U60

Right Hand
Pull To open
NO wire harness
NO Key Switch
Power trim Switch
NO Stop Switch



P/N:PBD-06240-ZW5-U70
OEM:06240-ZW5-U70

Left Hand
Pull To open
NO wire harness
NO Key Switch
Power trim Switch
NO Stop Switch



P/N:PBD-06240-ZW5-U00
OEM:06240-ZW5-U00

Right Hand
Pull To open
NO wire harness
NO Key Switch
Power trim Switch
NO Stop Switch



P/N:PBD-06240-ZW5-U50
OEM:06240-ZW5-U50

Left Hand
Pull To open
NO wire harness
NO Key Switch
Power trim Switch
NO Stop Switch



P/N:PBD-06240-ZW7-U00
OEM:06240-ZW7-U00

Right Hand
Pull To open
NO wire harness
NO Key Switch
Power trim Switch
NO Stop Switch



P/N:PBD-06240-ZW7-U10
OEM:06240-ZW7-U10

Left Hand
Pull To open
NO wire harness
NO Key Switch
Power trim Switch
NO Stop Switch

JOHNSON/EVINRUDE



P/N:PBD-5006180

OEM:5006180

Push To open
No including wire harnes
Key Switch
Power trim Switch
Stop Switch



P/N:PBD-5006181

OEM:5006181

Push To open
No including wire harnes
Key Switch
NO Power trim Switch
Stop Switch



P/N:PBD-5006182

OEM:5006182

Push To open
No including wire harnes
NO Key Switch
Power trim Switch
NO Stop Switch



P/N:PBD-5006186

OEM:5006186

Push To open
No including wire harnes
Key Switch
Power trim Switch
NO Stop Switch



P/N:PBD-5006184

OEM:5006184

Push To open
No including wire harnes
NO Key Switch
Power trim Switch
NO Stop Switch



P/N:PBD-5006561

OEM:5006561

Push To open
No including wire harnes
NO Key Switch
Power trim Switch
NO Stop Switch



P/N:PBD-103

OEM:103

Push/Pull To open
NO wire harnes
NO Key Switch
NO Power trim Switch
NO Stop Switch
Single Control



P/N:PBD-104

OEM:104

Push/Pull To open
NO wire harnes
NO Key Switch
NO Power trim Switch
NO Stop Switch
Dual Control

SUZUKI



P/N: PBD-67200-93J50
OEM: 67200-93J50

Push To open
Work 16pins wire harness
Key Switch
Power trim Switch
Stop Switch



P/N: PBD-67200-99E56
OEM: 67200-99E56

Push To open
8 pins 5meters wire harness
Key Switch
Power trim Switch
Stop Switch



P/N: PBD-67200-91J20
OEM: 67200-91J20

Push To open
Work 16pins wire harness
Key Switch
NO Power trim Switch
Stop Switch



P/N: PBD-67200-94J20
OEM: 67200-94J20

Push To open
NO wire harness
NO Key Switch
NO Power trim Switch
NO Stop Switch



P/N: PBD-67200-93J13
OEM: 67200-93J13

Single Control
Push To open
NO wire harness
NO Key Switch
Power trim Switch
NO Stop Switch



P/N: PBD-67200-93J15
OEM: 67200-93J15

Dual Control
Push To open
NO wire harness
NO Key Switch
Power trim Switch
NO Stop Switch



P/N: PBD-67200-93J30
OEM: 67200-93J30

Push To open
NO wire harness
NO Key Switch
Power trim Switch
NO Stop Switch

LD-YG-P12	12 Liter Tank, Connector and Hose Material: HDPE, Thickness:2.0mm Water, Gasoline, Diesel, Kerosene EPA/CE/REACH /BSCI		42*29*28	6	90*41*50.5	1.5
LD-YG-P24	24 Liter Tank, Connector and Hose Material: HDPE, Thickness:2.0mm Water, Gasoline, Diesel, Kerosene EPA/CE/REACH /BSCI		46*32.5*26	4	69*54*51.5	2.4
LD-YG-P55	55 Liter Tank, Connector, Gauge, Hose Material: HDPE, Thickness:2.0mm Water, Gasoline, Diesel, Kerosene EPA/CE/REACH /BSCI		46.9*29.5*63.3	1	64.3*47.9*31	6.5
LD-YG-P53	53 Liter Caddy, Nozzle, Hose Material: HDPE, Thickness:3mm Water, Gasoline, Diesel, Kerosene CE/ UN / ROHS/REACH /BSCI		41.7*31.9*84.5	1	40*33.5*85	9.6
LD-YG-P58	58 Liter Caddy, Connect, Hose Material: HDPE, Thickness:3mm Water, Gasoline, Diesel, Kerosene CE/ UN / ROHS/REACH /BSCI		86*42.5*29.3	1	43.5*30.3*88	9.0
LD-YG-P60	60 Liter Caddy, Connector, Hose Material: HDPE, Thickness:3.5 mm surface treatment: Blow Molding Water, Gasoline, Diesel, Kerosene CE/ UN / ROHS/REACH /BSCI		39.5*83.3*31.6	1	40.5*84*33	10.0
LD-YG-P90	90 Liter Caddy, Connector, Hose Material: HDPE, Thickness:3.5 mm surface treatment: Blow Molding Water, Gasoline, Diesel, Kerosene CE/ UN / ROHS/REACH /BSCI		40.3*94.9*39.5	1	41*96*41	11.0
LD-YG-P120	120 Liter Caddy, Connector, Hose Material: HDPE, Thickness:3.5 mm surface treatment: Blow Molding Water, Gasoline, Diesel, Kerosene CE/ UN / ROHS/REACH /BSCI		43*95*40	1	43*98*42	12.0



CONTACT US

 **+1-502-228-8881**

www.bestqualitymarine.com

